

PERMIT MODULE XIII POST-CLOSURE CARE

XIII.A. POST-CLOSURE CARE REQUIREMENTS

XIII.A.1. The facility shall conduct post-closure care of the landfill in accordance with its approved Post-Closure Care Plan.

XIII.A.1.a. Leachate shall be managed in accordance with 9VAC20-81-210 and the facility's Leachate Management Plan. If leachate seeps occur, the owner or operator shall repair the seeps and follow the procedures outlined in 9VAC20-81-210.F.

XIII.A.1.b. Landfill gas shall be monitored in accordance with 9VAC20-81-200 and the facility's Landfill Gas Management Plan. The gas management system shall be inspected at a rate consistent with the system's monitoring frequency.

XIII.A.1.c. Groundwater shall be monitored in accordance with 9VAC20-81-250, Module X, and Module XI and the respective groundwater permit documents as applicable. The groundwater monitoring system shall be inspected at a rate consistent with the system's monitoring frequency.

XIII.A.2. Modified Post-Closure Care Plans shall be submitted to the department for review and approval by the director.

XIII.B. POST-CLOSURE PERIOD

XIII.B.1. Post-closure care shall be conducted for 30 years.

XIII.B.2. The length of the post-closure care period may be decreased by the Director if the owner or operator demonstrates that the reduced period is equally protective of human health and the environment and the demonstration is approved by the Director. This demonstration shall contain:

XIII.B.2.a. Certification, signed by the owner or operator and a professional engineer licensed in the Commonwealth, verifying that decreasing the post-closure care period will be equally protective of human health and the environment; and

XIII.B.2.b. An evaluation prepared by a professional engineer or professional geologist licensed in the Commonwealth, which assesses and evaluates the landfill's potential for harm to human health and the environment in the event that post-closure monitoring and maintenance are discontinued.

- XIII.B.3. The facility shall continue post-closure care and monitoring until such time that the department approves termination of the post-closure care and/or monitoring activity.

XIII.C. CERTIFICATION OF COMPLETION OF POST-CLOSURE CARE

Not less than 180 days prior to the completion of the post-closure monitoring and maintenance period as prescribed by the Board's regulations or by the Director, the owner or operator shall submit to the Director:

- XIII.C.1. Certification, signed by the owner or operator and a professional engineer licensed in the Commonwealth, verifying that post-closure monitoring and maintenance have been completed in accordance with the facility's Post-closure Care Plan; and
- XIII.C.2. An evaluation prepared by a professional engineer or professional geologist licensed in the Commonwealth, which assesses and evaluates the landfill's potential for harm to human health and the environment in the event that post-closure monitoring and maintenance are discontinued.

If the Director determines that continued post-closure monitoring or maintenance is necessary to prevent harm to human health or the environment, he, or she shall extend the post-closure period for such additional time as the Director deems necessary to protect human health and the environment and shall direct the owner or operator to submit a revised post-closure plan and to continue post-closure monitoring and maintenance in accordance therewith. Requirements for financial assurance shall apply throughout such extended post-closure period.

END OF MODULE XIII